

FREEZEPROTNON-HEATED TOTE TANK INSULATION JACKET 192L X 48H FPT19248-NH

×

 SKU: FPT19248-NH |
 Categories: FreezeProTMrost Protection Systems
 FreezeProTMrote Tank

 Protection Systems
 |
 Tags: FreezeProTMrom Insulation
 FreezeProTMrom Insulation Jacket

 FreezeProTMrom Insulation Jacket & Controller
 ,
 FreezeProTMrost Protection Systems
 ,

 freezeProTMrote tank insulation
 ,
 IBC parts
 IBC parts

GALLERY IMAGES

×

PRODUCT DESCRIPTION

The FreezePro[®]Non-Heated Tote Tank Insulation Jacket FPT19248-NH provides temperature stability for temperature-sensitive products during the transport, handling and storage of chemicals, fluids and bulk materials in tote tanks. The FreezePro[®]Non-Heated Insulation Lids, which must be purchased separately from the FreezePro[®]Non-Heated Insulation 19248-NH is designed for use with purchased separately from the FreezePro[®]Non-Heated Insulation 19248-NH . Are designed to meet the most rigorous storage and temperature requirements of most industrial fluids or substances. They offer an all-in-one energy efficient system that increases revenues and improves operational efficiencies. All

are removable, reusable and weather resistant. They are long lasting, durable, UV stable and 100% asbestos free.

Unlike most removable insulation systems,FreezePro@rost Protection Systemscome instandard, universal sizes that are available for off-the-shelf delivery. FreezePro@rost



International resources for your world

Protection Systems are designed to fit an array of sizes -and can be used on almost any application that requires freeze or frost protection; temperature or chemical stability; and stress-free bonding or flexible encapsulation.

When used as a preventive maintenance product,	FreezePro®rost Protection Systems	pay for
themselves immediately upon the first freeze of winter. Few prevention type products will		
pay for themselves as quickly and with as little upfro	nt effort, as FreezeP i	'O® .

And there is no equipment downtime when installing **FreezePro@roducts.** They are simple and quick to install without tools!

PRICE: \$1450.00

SPECIFICATIONS

SKU: FPT19248-NH

Size: 192 in circumference; Length 192 in; Height 48 in

Insulation Material: EPDM Rubber Foam

Outer Material: PVC Fabric

Fastening System : Polypropylene Webbing, Plastic Side-Release Buckles

 $\textbf{Color}: \mathsf{Black}$

Weight: 50 lbs

Aprrox "R" Factor : .48

Temperature Range: -40F / -40C to 200F /93C

Install : <u>FreezePro^THow to Install Worksheet</u>

Measure: FreezePromote Tank How to Measure

Warranty/Returns: Read More

Other Data: <u>FreezePro™AQs</u>; <u>Safety Data Sheets</u>



 International resources for your world

 Related Products
 FreezePromote Tank Insulation Lids

Industrial Uses:Agriculture & Farm Equipment; Flavor & Fragrances; Food & BeverageIndustrial Packaging & Hardware; Intemediate Bulk Container & Tote Tank; Lubricant &Petrochemical; Pharmaceutical; Reconditioned Drum; Small Container; Stainless Steel DrumSteel Drum; andTranspiration & Tank.

PRICE: \$1450.00

1