

FREEZEPROTOTE TANK INSULATION JACKET 192 L X 60H & ETC TEMP CONTROLLER FPT19260-HE-C-01



 SKU: FPT19260-HE-C-01
 Categories:
 FreezePro™rost Protection Systems
 FreezePro™ote

 Tank Protection Systems
 |
 Tags:
 FreezePro™, FreezePro™ote
 FreezePro™ote

 Insulation Jacket
 ,
 FreezePro™rost Protection Systems
 ,
 freezePro™ote tank insulation

 IBC,
 IBC accessories
 ,
 IBC parts

GALLERY IMAGES

×

PRODUCT DESCRIPTION

The FreezePro Tote Tank Insulation Jacket & ETC Temp Controller FPT19260-HE-C-01	provide
temperature stability for temperature-sensitive products including chemicals, fluids and	
bulk materials during their transport, handling and storage in tote tanks. They maintain	
desired temperatures through an evenly heated area, keeping chemicals and other industrial	
materials within customer-defined temperature ranges. They are recommended for	
applications ranging from -40F (-40℃) to 200F (93℃). The FreezePro [™]	tote insulator

×



International resources for your world

FPT19260-HE-C-01 & ETC Temp Controller FPT19260-He-C-01 are designed for use with FreezePromote Tank Insulation Lids. which are purchased separately from the **FreezePro**[™]

Tank Jacket ETC

PRICE: \$2750.00

SPECIFICATIONS

SKU: FPT19260-HE-C-01

192-in circumference. Length, 195 in, Height, 60 in Size:

> Insulation Material: **EPDM Rubber Foam**

> > Jacket Material: **PVC Fabric**

> > > **Color** : Black

Weight: 50 lbs

Watts: 540

Voltage: 120 volts, 240 volts

Heating Cable Length : 720 in

Cold Lead Length : 34.4 in

Temperature Range : -40F/40C to 200F/93C

Install : FreezePro[™]How to Install Worksheet

Measure: FreezePromote Tank How to Measure

Warranty/Returns : <u>Read More</u>

Other Data: <u>FreezePro™AQs</u>; <u>Safety Data Sheets</u>

Related Products : <u>FreezePromote Tank Insulation Lids</u>

Industrial Uses: <u>Agriculture & Farm Equipment</u>; <u>Flavor & Fragrances</u>; <u>Food & Beverage</u>;



International resources for your world

Industrial Packaging & Hardware; Intemediate Bulk Container & Tote Tank; Lubricant &Petrochemical; Pharmaceutical; Reconditioned Drum; Small Container; Stainless Steel DrumSteel Drum; andTranspiration & Tank.

Ranco ETC Temperature Controller

The **Ranco ETC** is a microprocessor-based electronic temperature control designed to provide on/off control for commercial heating, ventilating, air conditioning, and display (LCD) that provides a constant readout of the sensed temperature, and a touch keypad that allows the user to easily and accurately select the set point temperature, differential and heating/cooling mode of operation. The **ETC NEMA Type 4X** control can accept either 120 or 208/240 VAC input power.

Temperature Range: -30F to 220F

Differential Range: 1F to 30F

Input Voltage: 120 or 208/240 VAC, 50/60 Hz

Pilot Duty: 125 VA at 120/208/240 VAC

Sensor: Thermistor, 1.94in. long x 0.25in diameter with 8 ft. cable

Control Ambient Temperature (Operating): -20F to 140F (-29C to 60C)

Ambient Humidity : 0 to 95% RH(non-Condensing)

Enclosure: NEMA Type 4X Outdoor. Plastic

Dimensions: 6.52" high x 2.7" wide x 2.48" deep

Weight: 2.88lbs / 1.31kg

Agency Approvals: UL listed file E94419, Guide XAPX, CSA certified, file LR68340, clas 4813 02

PRICE: \$2750.00



ADDITIONAL INFORMATION

Weight

Voltage

800 oz

120, 240