

## FREEZEPRO™TOTE TANK INSULATION JACKET 192L X 54H & ETC TEMP CONTROLLER FPT19254-HE-C-01



**SKU:** FPT19254-HE-C-01 | **Categories:** [FreezePro™Frost Protection Systems](#), [FreezePro™Tote Tank Protection Systems](#) | **Tags:** [FreezePro™Non-Heated Tote Tank Insulation Jacket](#), [freezePro™tote tank insulation](#), [FreezePro™tote tank insulation jacket 19248](#), [FreezePro™tote tank lid](#), [Tote tanks](#)

### GALLERY IMAGES



### PRODUCT DESCRIPTION

The **FreezePro™Tote Tank Insulation Jacket** & **ETC Single State Temperature Controller**

**FPT19254-HE-C-01** provide temperature stability for temperature-sensitive products

including chemicals, fluids and bulk materials during their transport, handling and

storage in tote tanks. They maintain desired temperatures through an evenly heated area,

keeping chemicals and other industrial materials within customer-defined temperature

ranges. They are recommended for applications ranging from -40°F (-40°C) to 200°F (93°C).



International resources for your world

The **FreezePro™IBC Jacket Controller He-C-01**, are designed for use with **FreezePro™Tote Tank Insulation Lids, FreezePro™IBC Jacket Controller** & **ETC Single State Temperature Controller FPT19254-** which are purchased separately from the .

**Price: \$2495.00**

### **SPECIFICATIONS**

**SKU:** FPT19254-HE-C-01

**Size:** 192-in circumference. Length 192 in, Height 54 in

**Insulation Material:** EPDM Rubber Foam

**Jacket Material:** PVC Fabric

**Color :** Black

**Thickness:** 0.5 in

**Weight:** 50 lbs

**Watts:** 540

**Voltage :** 120 volts, 240 volts

**Fastening System:** Nylon Webbing Straps, Plastic Side-Release Buckles

**Approx R'Factor:** .48

**Temperature Range:** -40°F /-40°C to 200°F /93°C

**Circumference Range:** 0 in-192 in

**Power Cord Type:** (18 AWG) 3-Prong Grounded Plug

**Heating Cable Length:** 720 in

**Cold Lead Length:** 34.4 in

**Install :** [FreezePro™How to Install Worksheet](#)



International resources for your world

**Measure:** [FreezePro™ Drum How to Measure](#)

**Warranty>Returns:** [Read More](#)

**Other Data:** [FreezePro™ FAQs](#) ; [Safety Data Sheets](#)

**Related Products** : [FreezePro™ Drum Insulation Lids](#) ; [Ranco ETC Single State Temperature Control NEMA Type 4X](#)

**Industrial Uses:** [Agriculture & Farm Equipment](#) ; [Flavor & Fragrances](#) ; [Food & Beverage](#) ; [Industrial Packaging & Hardware](#) ; [Intermediate Bulk Container & Tote Tank](#) ; [Lubricant & Petrochemical](#) ; [Pharmaceutical](#) ; [Reconditioned Drum](#) ; [Small Container](#) ; [Stainless Steel Drum](#) ; [Steel Drum](#) ; and [Transpiration & Tank](#)

### **Ranco ETC Temperature Controller**

The **Ranco ETC** is a microprocessor-based electronic temperature control designed to provide on/off control for commercial heating, ventilating, air conditioning, and display (LCD) that provides a constant readout of the sensed temperature, and a touch keypad that allows the user to easily and accurately select the set point temperature, differential and heating/cooling mode of operation. The **ETC NEMA Type 4X** control can accept either 120 or 208/240 VAC input power.

**Temperature Range:** -30°F to 220°F

**Differential Range:** 1°F to 30°F

**Input Voltage:** 120 or 208/240 VAC, 50/60 Hz

**Pilot Duty:** 125 VA at 120/208/240 VAC

**Sensor:** Thermistor, 1.94in. long x 0.25in diameter with 8 ft. cable

**Control Ambient Temperature (Operating):** -20°F to 140°F (-29°C to 60°C)

**Ambient Humidity** : 0 to 95% RH(non-Condensing)

**Enclosure:** NEMA Type 4X Outdoor. Plastic



International resources for your world

**Dimensions:** 6.52 in high x 2.7"wide x 2.48 in deep

**Weight:** 2.88lbs / 1.31 kg

**Agency Approvals:** UL listed file E94419, Guide XAPX, CSA certified, file LR68340, clas  
4813 02

**Optional Accessories:** FreezePro™ Drum Insulated Lid

**PRICE: \$2495.00**

## ADDITIONAL INFORMATION

<b>Weight</b>	800 oz
<b>Voltage</b>	120, 240